

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Panchayat Raj & Rural Development Department – RWS&S-irregularities in award of price adjustment on material /pipes procured etc. in Rural Water Supply (Projects) Poduru and other habitations in West Godavari District-Disciplinary proceedings initiated against Sri G.Raja Rao, the then Superintending Engineer, RWS&S, Eluru, West Godavari District – Expired on 25.09.2016 – Further action abated – Orders – Issued

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.VI) DEPARTMENT

G.O.Rt.NO.427

Dated:15.06.2017.

Read the following:-

- 1.G.O.Rt.No.67, PR&RD (Vig.I) Dept., dt. 22.01.2015.
- 2.General Administration (V&E) Dept., Vigilance Report No.70 (498/V&E/E2/2010) (Eluru), dt. 01.04.2014..
3. From the Chief Engineer(Admn.), RWS&S, Hyderabad Lr.No.Vig.(4)/RWS&S/472/ 2014, dt.24.07.2015.
4. From Smt.G.Lakki, W/o late Sri G.Raja Rao, the then Superintending Engineer, RWS&S, Eluru, West Godavari District.

ORDER:

Based on the report furnished by the General Administration (V&E) Department, disciplinary proceedings were initiated in the G.O. 1st read above against Sri G.Raja Rao, the then Superintending Engineer, RWS&S, Eluru, West Godavari District by framing charges, on the allegations of irregularities in award of price adjustment on material /pipes procured etc.in Rural Water Supply (Projects) Poduru and other habitations in West Godavari District. In the letter 3rd read above, the Chief Engineer(Admn.), RWS&S has submitted the dated acknowledgement of Sri G.Raja Rao, the then Superintending Engineer, RWS&S, Eluru, West Godavari District.

2. While the matter was under examination, Smt.G.Lakki, W/o (late) Sri G.Raja Rao, the then Superintending Engineer, RWS&S, Eluru, West Godavari District in her letter 4th read above by enclosing the death certificate of her husband has informed that her husband was expired on 25.09.2016 on road accident and requested to abate further action against her husband.

3. Government, after careful examination of the entire matter, have decided to abate further action against Sri G.Raja Rao(late) ,the then Superintending Engineer, RWS&S, Eluru, West Godavari District, in this matter.

4. Accordingly, Government hereby abate further action against Sri G.Raja Rao (late), the then Superintending Engineer, RWS&S, Eluru, West Godavari District in this case.

5. The Engineer-in-Chief, Rural Water Supply & Sanitation, A.P., Vijayawada shall take further necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ANIL CHANDRA PUNETHA

PRINCIPAL SECRETARY TO GOVERNMENT (PR&RWS)I/C

To

Smt.G.Lakki,W/o late) Sri G.Rajarao,the then Superintending Engineer, RWS&S, Eluru, West Godavari District (through ENC,RWS&S.)

The Engineer-in-Chief, Rural Water Supply and Sanitation, Vashuda Shelters, Saipuram colony road, one centre, Gollapudi, Vijayawada

. Copy to:

The Secretary to Vigilance Commission, Andhra Pradesh Vigilance Commission, Velagapudi.

The Accountant General, A.P., Hyderabad.

SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER

